

# Safety Data Sheet

acc. to OSHA HCS


Printing date 04/16/2015

Reviewed on 04/16/2015

## 1 Identification

- **Product identifier**
- **Trade name:** SATIN CREME WAX
- **Article number:** P-35-Q
- **Application of the substance / the mixture** Lustre
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BAF Industries  
8010 Dixie Highway  
Florence, KY 41042  
USA  
phone: 859-372-5900
- **Information department:** msds\_info@prowax.com

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
  - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
  - **Information concerning particular hazards for human and environment:**  
The product does not have to be labeled due to the calculation procedure of international guidelines.
  - **Classification system:**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
  - **Label elements**
  - **GHS label elements** Void
  - **Hazard pictograms** Void
  - **Signal word** Void
  - **Hazard statements** Void
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- 

Health = 1

Fire = 2

Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 1 | Health = 1     |
| FIRE       | 2 | Fire = 2       |
| REACTIVITY | 0 | Reactivity = 0 |
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: SATIN CREME WAX

(Contd. of page 1)

· <b>Dangerous components:</b>		
64742-47-8	Distillates (petroleum), hydrotreated light <ul style="list-style-type: none"> <li>☒ Xn R65</li> <li>☒ Asp. Tox. 1, H304; H227</li> </ul>	10-25%
64742-88-7	medium aliphatic hydrocarbon <ul style="list-style-type: none"> <li>☒ Xn R65</li> <li>☒ Flam. Liq. 3, H226; ☒ Asp. Tox. 1, H304</li> </ul>	10-25%
1332-58-7	Kaolin	2.5-10%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: SATIN CREME WAX

(Contd. of page 2)

- *Conditions for safe storage, including any incompatibilities*
- *Storage:*
- *Requirements to be met by storerooms and receptacles: No special requirements.*
- *Information about storage in one common storage facility: Not required.*
- *Further information about storage conditions: None.*
- *Specific end use(s) No further relevant information available.*

## 8 Exposure controls/personal protection

- *Additional information about design of technical systems: No further data; see item 7.*
- *Control parameters*

· **Components with limit values that require monitoring at the workplace:**

### 1332-58-7 Kaolin

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	Long-term value: 2* mg/m <sup>3</sup> E; as respirable fraction

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
*The usual precautionary measures for handling chemicals should be followed.*
- **Breathing equipment:** Not required.
- **Protection of hands:**  
*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves**  
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- **Penetration time of glove material**  
*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Viscous
Color:	Yellow
Odor:	Characteristic
Odour threshold:	Not determined.
- **pH-value at 20 °C (68 °F):** 9.1

(Contd. on page 4)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: SATIN CREME WAX

(Contd. of page 3)

· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· <b>Flash point:</b>	46 °C (115 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	210 °C (410 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
Lower:	0.8 Vol %
Upper:	6.0 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.9502 g/cm <sup>3</sup> (7.929 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	
	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b> Not determined.	
· <b>Viscosity:</b>	
Dynamic at 20 °C (68 °F):	25000 mPas
Kinematic:	Not determined.
· <b>Solvent content:</b>	
Organic solvents:	34.6 %
Water:	28.8 %
VOC content:	14.1 %
	134.0 g/l / 1.12 lb/gl
Solids content:	22.5 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

USA

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: SATIN CREME WAX

(Contd. of page 4)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64742-88-7 medium aliphatic hydrocarbon**

Oral	LD50	>6500 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>3000 mg/kg (rab)
--------	------	-------------------

Inhalative	LC50/4 h	>14 mg/l (rat)
------------	----------	----------------

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

14808-60-7	silica	I
------------	--------	---

- **NTP (National Toxicology Program)**

14808-60-7	silica	K
------------	--------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability:** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential:** No further relevant information available.

- **Mobility in soil:** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Smaller quantities can be disposed of with household waste.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015



Reviewed on 04/16/2015

Trade name: SATIN CREME WAX

(Contd. of page 5)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<ul style="list-style-type: none"> <li>· UN-Number</li> <li>· DOT</li> <li>· ADR, IMDG, IATA</li> <li>· ADN</li> </ul>	<p>NA1993 UN1993 Void</p>
<ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· ADR</li> <li>· ADN</li> <li>· IMDG</li> <li>· IATA</li> </ul>	<p>COMBUSTIBLE LIQUID, N.O.S (medium aliphatic hydrocarbon) 1993 Flammable liquids, n.o.s. Void FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon)</p>
<ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT</li> </ul>	<p>3</p>
<div style="text-align: center;">  <p>COMBUSTIBLE 3</p> </div> <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p>3 Combustible liquids 3</p>
<ul style="list-style-type: none"> <li>· ADR, ADN, IMDG</li> <li>· Class</li> </ul>	<p>Void</p>
<ul style="list-style-type: none"> <li>· IATA</li> </ul>	<p>3</p>
<div style="text-align: center;">  <p>COMBUSTIBLE 3</p> </div> <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p>3 Combustible liquids 3</p>
<ul style="list-style-type: none"> <li>· Packing group</li> <li>· DOT, IATA</li> <li>· ADR, IMDG</li> </ul>	<p>III Void</p>
<ul style="list-style-type: none"> <li>· Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	<p>No</p>
<ul style="list-style-type: none"> <li>· Special precautions for user</li> <li>· EMS Number:</li> </ul>	<p>Not applicable. F-E,S-E</p>
<ul style="list-style-type: none"> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	<p>Not applicable.</p>
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> <li>· DOT</li> <li>· Quantity limitations</li> </ul>	<p>CONSUMER COMMODITY ORM-D On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L</p>
<ul style="list-style-type: none"> <li>· UN "Model Regulation":</li> </ul>	<p>UN1993, Flammable liquids, n.o.s.</p>

USA

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: SATIN CREME WAX

(Contd. of page 6)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):
---

None of the ingredients is listed.
------------------------------------

· Section 313 (Specific toxic chemical listings):
---

None of the ingredients is listed.
------------------------------------

- TSCA (Toxic Substances Control Act) All ingredients are listed

- Proposition 65

· Chemicals known to cause cancer:
------------------------------------

None of the ingredients is listed.
------------------------------------

· Chemicals known to cause reproductive toxicity for females:
---

None of the ingredients is listed.
------------------------------------

· Chemicals known to cause reproductive toxicity for males:
---

None of the ingredients is listed.
------------------------------------

· Chemicals known to cause developmental toxicity:
--

None of the ingredients is listed.
------------------------------------

- Carcinogenic categories

· EPA (Environmental Protection Agency)
---

None of the ingredients is listed.
------------------------------------

· TLV (Threshold Limit Value established by ACGIH)
--

1332-58-7	Kaolin	A4
-----------	--------	----

14808-60-7	silica	A2
------------	--------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health)
--

14808-60-7	silica
------------	--------

- GHS label elements Void

- Hazard pictograms Void

- Signal word Void

- Hazard statements Void

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Product safety department

- Contact: msds\_info@bafindustries.com

- Date of preparation / last revision 04/16/2015 / 20

- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

**Trade name: SATIN CREME WAX**

(Contd. of page 7)

*VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**Flam. Liq. 3: Flammable liquids, Hazard Category 3**: Flammable liquids, Hazard Category 4**Asp. Tox. 1: Aspiration hazard, Hazard Category 1**· \* Data compared to the previous version altered.*

USA